Impact Factor 3.025

Refereed And Indexed Journal

AAYUSHI INTERNATIONAL INTERDISCIPLINARY RESEARCH JOURNAL (AIIRJ)

UGC Approved Monthly Journal





CHIEF EDITOR – PRAMOD PRAKASHRAO TANDALE

Aayushi International Interdisciplinary Research Journal (AIIRJ) UGC Approved Sr.No.64259

/0	I -	IV

AUGUST 2017

ISSN 2349-638x

Impact Factor 3.025

A Clinical Study on the Management of Fibroadenoma of Breast With Kanchanar Guggul and Chandraprabha Vati

Dr.Neha S.Agnihotri M.S. (Final yr) Dept.of Prasutitantra & Stri Roga, C.S.M.S.S Ayurved Mahavidyalay, Aurangabad

Issue-VIII

Prof.Dr.Jayashri S.Deshmukh HOD Dept.of Prasutitantra & Stri Roga, C.S.M.S.S Ayurved Mahavidyalay, Aurangabad

Abstract-

Introduction- Fibroadenomas of breast are a benign tumor, which occurs commonly in women of age group 25-30.

In the modern medicine, most of the time conservative management is advised for fibroadenoma, but it is treatable if the fibroadenoma is not big in size, not any discharges comes out from nipple, if the symptoms are like there is tenderness or a very hard lump is present at that time excision of the localized tissue should be advised according to Ayurveda, this growth is called as "Granthi" explained by many Aacharyas and it is type of "Mansaja granthi".So according to charaka samhita these type of Granthi's are painless, having muscular structure, these type of granthi develop due to abnormal vitiation of Dosha and Dushya in the any part of body. So there is treatment mentioned for Granthi is the drugs having the properties like Granthihara,Lekhana and Bhedhan. According to classical text of Ayurveda, drug of choice is Kanchanar guggul and Chandraprabha vati having the same properties.

Key word -Breast fibroadenoma, Kanchanar guggul, Chandraprabha vati.

Introduction-

A fibroadenoma is a benign tumor in which the epithelial cells are arranged in a fibre stroma. It is an Aberration of normal development of a single lobule.¹

It is of two type-1)Pericanalicular- in which fibrosis is more.

2) Intracanalicular-in which fibrosis is less

A fibroadenoma are commonly found in the women of age group 25-30.women are more conscious about these type of tumor, because of afraid about having malignant tumor. Among all cancers, the breast cancer is fetal for the women worldwide. It is the most common cause of death due to cancer among women (522,000 deaths in 2012)². The statistical data shows marked increased in incidence of breast cancer more than 20% and mortality rate increased by 14%. It is the leading cause of death mostly in less developed countries. This alarming data created awareness among the women. So the proper preventing efforts should be done for minimizing the diseased incidence.

According to *Ayurveda*, Due to abnormal vitiation of *Dosha* and *Dushya* there is excessive abnormal growth of cells may developed in any part of body, these type of growth are multiple in numbers, because of different locations in body, due to this clinical features, names and types are present. These all type of growth are called as "*Granthi*" and "*Arbuda*".³

Aacharya Charaka explained these type in chapter of "Shotha".⁴There are many types of Granthi, but the Granthi present in the Stana is "Mansaja Granthi". Charaka described it as "Mansaja Granthi"⁵ which is a big and mostly it is a painless structure, So it can be correlated with fibroadenoma. According to classical text of Ayurveda, Treatment is mentioned. So the drug of

Aayushi International Interdisciplinary Research Journal (AIIRJ) UGC Approved Sr.No.64259 Vol - IV **Issue-VIII** AUGUST 2017 **ISSN 2349-638x** Impact Factor 3.025

choice is Kanchanar guggul and Chandraprabha vati. Both have properties like Deepan, Pachan, *Vatta-kapha shamaka, Bhedan, Lekhana, Shothahara*.⁶ It means it act as Anti-inflammatory activity. With these drugs patient treated within 3 months.

Objective- The study was done to evaluate efficacy of Kanchanar guggul and Chandraprabha vati in the management of fibroadenoma of breast.

Method- A 28year old female patient came in OPD, having sign and symptoms of fibroadenoma of Left breast. After FNAC test, this is diagnosed as benign tumor only, So the conservative treatment should be done. Treatment according to Ayurveda is Kanchanar guggul and Chandraprabha vati was given orally in a dose of 1gm (2 tabs of 500mg each)twice a day with lukewarm water after meal for a duration of 60 days, then the changes of regression of the lump was assessed.

Case Report-

A 28 year old Hindu married women came in OPD with complaints of painless hard mass (Lump) is present in Left breast from about 10-15days.Patient had pain in left at general weakness.

On examination-Pulse Rate-74/min B.P-110/70mm of Hg. S/E-RS-NAD, P/A-Gaseousness+, palpation at left breast-movable mass is present in upper quadrant+, not enlarged axillary lymphnodes. Pallor +, Odema -

Ashtavidha Pareeksha-

Nadi-Kaphapradhan Mala- Pichhil Jivha- saaam Mutra-Samyak Druka- Shwetabh Sparsha- Ushna Shabda-Prakrut Aakruti- Madhyam(Wt-59kg) Investigations- CBC, BSL, Fine Needle Aspiration Cytology to rule out malignancy (FNAC)

Treatment-

After taking the complete history Strotodushti found in Rasavaha, Raktavaha, Mansavaha, Medovaha strotasa. So according to this type of Strotovikruti and Strotodushti, following treatment should be given. Duration-3 month

Kanchanar guggul – 50<mark>0</mark>mg (BD)

Chandraprabha vati – 500mg (BD)

Aampachak vati – 500mg (BD)

All tablets were given after meal with lukewarm water for 3 months. Follow up after - 15 days. After giving the treatment following effect observed.

Observation-

WW: Symptoms like Gaseousness, loss of appetite are subsided. There is no pain in hand and shoulder. Most important effect is reduction in size of mass (Lump).

Result-

The lump was reduced by size. It shows 80% regression and minimized symptoms also.

Conclusion-

Fibroadenomas are the non cancerous tumor, most commonly benign in nature, so can be treated by Kanchanar guggul and Chandraprabha vati, which shows significant result in the regression of the tumor

Email id's:- aiirjpramod@gmail.com,aayushijournal@gmail.com | Mob.09922455749 website :- www.aiirjournal.com | UGC Approved Sr.No.64259

Discussion-

The breast is the main feminine character. So any abnormality which are more concern to the breast, evoke a fear among the women about breast cancer. Fibroadenoma breast and breast cancer are difficult to differentiate .As per modern medicine fibroadenoma should be removed by surgery. Most of the women don't want it. So it should be treated by conservative medicines, which was described in *Ayurveda* for *Granthi*, i. e. *Kanchanar guggul* having all the necessary properties of *Deepan, Pachana, Vatakapha shamaka, Lekhan and Bhedhan* which helps to relieve the symptoms of "*Mansaja Granthi*". *Kanchanar* extract having anti-cancerous properties. *Guggula* works as anti-inflammatory⁷. *Chandraprabha vati* is a compound form of many drugs. It is described by many *Aacharyas* in various diseases; *Chandraprabha vati* acts on major system like urinary, reproductive, cardiovascular, nervous system. Means it acts on *tridoshas, Rakta, Mansa, Meda, Shukra dhatu, Purisha, Mutra, Mala*, and *strotasa*. The drugs like *Triphala, Gudduchi*, which are proven anti-oxidant and anti-tumor agents as well as immune-modulatory action.⁸

From this case study we came to conclusion that Fibroadenoma breast can be treated with the combined effect of *Kanchanar guggul* and *Chandraprabha vati*.

References-

- 1. Manipal manual of Surgery Shenoy, K.Rajgopal CBC publication
- 2. D. C. Dutta- Textbook of Gynecology, Fifth edition 2008. (Special topic, Chapter 33)
- 3. Sushruta Samhita with Ayurveda Tatva Sandeepika Commentary. In: Kaviraj A, Datta S, editors. Nidana Sthana 341. Ch. 11/4. Reprint edition. Varanasi Chaukhambhaa Sanskrita Sansthana; 2007. p. 341.
- 4. Charak A, Samhita C. In: Chaturvedi NG, Sastri PK, editors. Vidyotini Hindi Commentary. Sutra Sthaana - 12/1. 2005 ed. Varanasi: Chaukhambha Bharati Academy; Reprint 2005. p. 353.
- 5. Charak A, Samhita C. In: Chaturvedi GN, Sastri PK, editors. Vidyotini Hindi Commentary. Sutra Sthaana - 12/98. 2005 ed. Varanasi: Chaukhambha Bharati Academy; Reprint 2005.
- 6. Role of Kanchnar Guggulu in the management of Mansaa Granthi W.S.R. Fibroadenoma breast M.S (ay.) Shalya Dr. Sunita Singh.
- 7. Effect of Kanchnar Guggulu in the management of Mansaja Granthi w.s.r. fibroadenoma breast -Vishal Verma, Sheetal Verma, Gyanendra Datta Shukla, Tapish Maheshwari, Sunita Singh
- 8. Antidiabetic activity of Chandraprabha vati A classical Ayurvedic formulation Manish M. Wanjari, Sujata Mishra, b Yadu Nandan Dey

www aiirjournal.com