	Aayushi	International	Inter	disciplinary Res	earch Journal (A	IIRJ)
VOL- VII	ISSUE- III	MARCH	2020	PEER REVIEW e-JOURNAL	IMPACT FACTOR 6.293	ISSN 2349-638x

Assessment of Physico-Chemical Water Quality in the Saikheda Water Reservoir from Parbhani District (M.S.) India

Dr. S.V. Rankhamb Department of Zoology, Late Ramesh Warpudkar ACS College, Sonpeth 431516, (M. S.), India

Abstract

Unsafe drinking water is one of the main problem in developing countries. In India quality of surface water has progressively worse in the past few decades. As a result of the urbanization, growing population, agriculture, and increasing industrialization, the inland water bodies are confronted with the increasing water demand, as facing with extensive anthropogenic emissions of nutrients and sediments, predominantly the lakes and reservoirs. To resolve this problem, it is necessary to carry out water quality assessment, planning, and management, in which water quality monitoring plays an important role. This study aimed at assessing the water quality of Saikhedareservoir from Parbhanidistrict (M.S.) India.

Saikhedareservoir used for irrigation, livestock watering and fish production. This study carries using some selected physico-chemical parameters. The result of water samples shows high pH indicates the basic nature of water samples, sulphate in the dam water was high, the phosphate content of reservoir water were found high which lead to unpleasant taste and odor. The obtained values of each parameter were compared with the standard values set by the World Health Organization (WHO). The values of each parameter were found to be within the beyond safe limits set by the WHO. Overall, the water from all the locations was found to be not safe as drinking water. However, it is also important to investigate other potential water contaminations such as chemicals and microbial and radiological materials for a longer period of time, including human body fluids, in order to assess the overall water quality of Saikheda reservoir. Keywords: Water Samples, Environmental Degradation, Saikhedareservoir.

Introduction

The water quality from the reservoirs has a considerable importance for the reason that these water resources are generally used for multiple matters such as: drinking, domestic and residential water supplies, agriculture (irrigation), tourism and other human or economic ways to use water. 71% of earth surfaceis occupied by water (CIA, 2008), 96.5% of the world's water is marine water which is salty that is not to be directly useful for drinking, irrigation, domestic and industrial purposes.1.7% in groundwater, 1.7% in glaciers. Less than 1% water is present in lakes, ponds, rivers, dams, etc., which is used by man for domestic, Industrial and agricultural purposes. According to an estimate about 70% of all the available water in our country is contaminated water bodies due to the discharge of effluents from industries and the domestic sewage waste. In developing countries, about 1.8 million people mostly children's die every year as a result of water related diseases (WHO, 2004).

Water pollution confronting serious problem in India as almost 70 per cent of its surface water resources and a growing percentage of its reservoirs are contaminated by biological, toxic, organic, and inorganic effluents. Theseresources have been rendered unhygienic for human consumption as well as for other activities, such as irrigation and industrial needs. This shows that degraded nature of water quality can contribute to water scarcity as it limits its availability for both human use and for the ecosystem. Due to growth of increasing population, agricultural usage, and industrialization, demand for domestic water has increased many times during the last few years. Improper waste disposal industrial effluents and over exploitation of resources has affected the quality, not only of tap water but also of ground water. Water pollution has many sources. The most polluting elements are the city sewage and industrial waste discharged into the rivers. The facilities to waste water treatment are not adequate in any city in India. Presently, only about 10% of the waste water is treated; the rest is discharged as it is into our water bodies. Therefore, pollutants enter

	Aayushi	Internationa	l Inter	rdisciplinary Ro	esearch Journal ((AIIRJ)
VOL- VII	ISSUE- III	MARCH	2020	PEER REVIEW	IMPACT FACTOR	ISSN 2349-638x

groundwater, rivers, and other water bodies. The Central Pollution Control Board monitoring results obtained during 2005 indicate that organic pollution continues to be predominant in aquatic resources.

Physico-chemical Parameters:

The availability of good quality water is acontributing characteristic for preventing diseases and improving quality of life. It is necessary to know details about different physico-chemical parameters such as temperature, acidity, hardness, pH, sulphate, chloride, DO, alkalinity used for testing of water quality. Some physical test should be performed for testing of its physical appearance such as temperature, pH, turbidity, while chemical tests should be performed for its dissolved oxygen, alkalinity, hardness and other characters.

Material And Method

Water samples were collected in previously cleaned polythene bottles. Water samples were collected during June 2019 to December 2019 from 4 stations decided inthe reservoir in the morning (9.00 to 10.00 a.m.). Temperature, EC and pH of water samples were measured in the field immediately after collection with help of thermometer, conductometer and pH meter. Other physic-chemical parameters were analyzed in the laboratory and all other parameters were analyzed by titration methods outlined in standard methods (APHA 1995).

Result And Discussion

The average six-month values from July 2019 to December 2019 values of every physicochemical characteristics are given in the table1.

Table 1:showing the average six-month values from July 2019 to December 2019 values of physico-chemical parameters from Saikhedareservoir

Table 1. The average six-month values from July 2019 to December 2019							
	Parameters	Spot 1	Spot 2	Spot 3	Spot 4		
	Water temperature	$27^{0}c$	$30^{\circ}c$	$31^{\circ}c$	$30^{\circ}c$		
	pН	7.1	7.3	7.2	7.7		
	Conductivity	122	158	139	163		
	Dissolved O ₂	2.7	2.1	3.1	4.6		
	Alkalinity	102	108	148	153		
	Sulphate	15	34	48	38		
	Phosphate	0.10	0.11	0.19	0.21		
	Chlorides	68	77	82	109.3		
	Total hardness	79	91	106	151		





VOL- VII	ISSUE- III	MARCH	2020	PEER REVIEW	IMPACT FACTOR	ISSN
				e-JOURNAL	6.293	2349-638x



Fig.1 Saikheda reservoirfrom Parbhani district (MS)

The six-month survey (July 2019 to December 2019) has shown that physicochemical parameters of Saikheda reservoir from Parbhani district (MS) India shows wide range of results.

These are as follows

Temperature: It is mainly related with atmosphere and weather conditions. Temperature is basically important for its effects on certain chemical and biological activities in organisms attributing to aquatic media. Temperature is in the range from 27^oc to 31^oc. Lowest temperature at Spot 1 is 27^oc and highest value isrecorded at Spot 3 is 31^oc. Temperature effects the seasonal and diurnal variation. It controls the rate of all biochemical and biological reactions including growth, multiplication, mineralization, decay, production etc. Temperature is recorded with the help of maximum minimum thermometer. Similarly, results have been reported by Jawale, A.K and S.A. Patil, (2009).

pH:It is determined with the help of pH meter. The pH values ranged from 7.1 to7.7. This indicates the basic nature ofwater samples. pH is used to express the intensity of acidic or alkaline conditions. It is the appearance of hydrogen ion concentration, more precisely, the hydrogen ion activity. pH is a parameter important in assessingthe water quality. Acidic conditions will increase as pH value decreases and alkaline conditions will increases as the pH value increases.

Electrical conductivity: Ground water quality is measured by the method of electrical conductivity. As the salt is more conducive of electricity and if there is more amount of salt in a fixed volume of water the electrical conductivity of the water will be more in comparison to less saline water. The ability of a solution to conduct an electrical current is calculated by the migration of solutions and is dependent on the nature and numbers of the ionic species in that solution. This property is called electrical conductivity. It is a useful parameter to assess the purity of water. Electrical conductivity measures between 122 to 163.

Dissolved Oxygen (DO): It is one of theimportant parameters in water qualityassessment. It shows the physical andbiological processes prevailing in thewater. Non polluted water is generallysaturated with DO. The DO ranges from2.1 to 4.6mg/L. Dissolved oxygen is an important parameter that determines the quality of water in rivers and reservoirs. The higher concentration of dissolved oxygen, provide better water quality.

Total Alkalinity: Bicarbonate alkalinity together with carbonate alkalinity are called total alkalinity. Alkalinity, pH and hardness affect the toxicity of many substances in the water. It is determined by simple dilute HCl titration in presence of phenolphthalein and methyl orange indicators. Alkalinity of water is its acid neutralizing capacity. The alkalinity of groundwater is mainly due to carbonates and bicarbonates. The acceptable limit of alkalinity is 200 mg/l and in the absence of alternate water source, alkalinity up to 600 mg/l is acceptable for drinking which measures between 102 to 153.

Sulphate and Phosphates: Theresult of sulphate in the dam water washigh (15- 38mg/L). The source ofsulphate may be from mineral rocks andfertilizers.The phosphate content of reservoirwater was found in range of 0.10 to0.21 mg/L. Phosphate lead toeutrophication which could also lead tounpleasant taste and odor. The presence of heavy metals in drinking water higher than a certain concentration can cause detrimental impacts on human health.

Chloride: Chlorides are practically found in allnatural water. This is the most common inorganic anion present in water. Man, and animal excrete have high quantities of chloride. Also salts present in soil are the sources of chloride. Chloride content of water samples was 68 to 109.3mg/L.According to WHO maximum permissible limitfor Chloride is 500 mg/l. the value observed in present study are well below the permissible limit

Total Hardness (TH): In groundwater hardness is mainly contributed by bicarbonates, carbonates,

	Aayushi	International	Inte	rdisciplinary R	esearch Journal ((AIIRJ)
VOL- VII	ISSUE- III	MARCH	2020	PEER REVIEW e-JOURNAL	IMPACT FACTOR 6.293	ISSN 2349-638x

sulphates and chlorides of calcium and magnesium. So, the principal hardness causing ions are calcium and magnesium. It is measured by titration method by standardized EDTA sol. using Erichrome black T as indicator. In most of the fresh water TH is important mainly by calcium and magnesium ions found in combination carbonate and bicarbonates. In the present study TH were found to be 79 to 151mg/L. Hardness is more than 20 mg / L is satisfactory for the aquatic productivity and helps to protect fishes against harmful effects pH functions. Similar findings were reported by Muley and Patil, (2006).

Conclusion

After the analysis of data, the present study can be concluded that the effects of water pollution are not only devastating to people but also to animals, fish, and birds also destroys aquatic life and reduces its reproductive ability. Contaminated water is unsuitable for drinking, recreation, agriculture, and industry. It reduces the aesthetic quality of reservoirs and lakes. Eventually, it is a hazard to human health. To minimize the pollution in drinking water we can use modern technologies such as reverse osmosis and ozonation in large scale, which are effective in the Comparison of present studyparameter values with the permissible limits prescribed by bureau of IndianStandards and WHO provides theconclusion that the water of Saikhedareservoiris useful for water supply. But someparameters giving alarm for protection ofwater from pollution it may be used fordrinking purpose for long time.

The present studywas undertaken to account to bring an acute awareness among the people about the quality of water. The individual and the community can help minimize water pollution by simple housekeeping and management practices the amount of waste generated can be minimized.

Acknowledgments

The author thankful to Principal, Late Ramesh Warpudkar ACS College, Sonpeth, District Parbhani, Maharashtra state, India. for providing laboratory advances and library Facilities.

References

- American Public Health Association (APHA) (1995). Standard methods for the examination of water and wastewater, (19thedn). American Public Health Association, Washington DC, USA.
- APHA, (2012). Standard Methods for Examination of Water and Waste Water, American Public Health Association, Washington DC, 22nd Ed.,
- 3. Jawale, A.K and S.A. Patil, (2009). Physicochemical characteristic and phytoplanktons abundance of Mangrul Dam, dist- Jalgoan, Maharashtra., J. Aqua. Biol., 24(1): 7-12.
- 4. Muley D. V. and Patil I. M. (2006). A study of water quality and fish diversity of Pauna River Maharashtra. J. Aqua. Biol. 21(1):68-75
- Standard Methods (2002). Standard methods for the examination of water and waste water (21 Edn.). American Water Works Association (AWWA), water publication control Federation (WPCF) and American Public Health Association (APHA), Washington DC, USA.
- 6. World Health Organization (WHO, 1993). Guidelines for drinking water quality. World Health Organization, Geneva, Switzerland.