	Aayushi 🛛	International	Interd	lisciplinary Re	esearch Journal (AIIRJ)
VOL- VII	ISSUE- VI	JUNE	2021	PEER REVIEW e-JOURNAL	IMPACT FACTOR 7.149	ISSN 2349-638x

Study of The Vishaghna Property of Nirgundi on Pesticide Sprayed Cauliflower

Dr.Snehal Diwakar Gawai,

Assistant Professor, Agad tantra Dept. CSMSS Ayurvedic Mahavidyalaya, Aurangabad

Abstract :

Vegetables are important part of a healthy diet. Cauliflower is a vegetable which is rich in nutrients and is commonly consumed in Indian household. It is also frequently sprayed with pesticides. And even after washing with tap water, most of the residue remains on the vegetable. So there is need to wash the vegetable with solution like Nirgundi Kwatha which may reduce toxic residues. **Keywords :** Cauliflower, Nirgundi Kwatha, Pesticide residues

Introduction:

Agad Tantra is the branch of Ayurveda which deals with the diagnosis, symptoms and treatment of poison and the methods of detecting them. In this new era, it also deals with the study of variety of chemicals such as pesticides, preservatives etc. and their hazardous effects on human health.

Now days, the crops are sprayed with pesticides. But its indiscriminate use leads to problems such as toxic residues in food materials. When human beings consume this toxified food materials, they become victim of their poisonous effects. So there is need of washing and cleaning the fruits and vegetables with such solution which may nullify or reduce toxic residues.

Charakacharya has mentioned Vishaghna Gana. Sindhuvaar i.e. Nirgundi is one of them. It is also mentioned as Krimihara. Cauliflower is commonly consumed in Indian household. It is generally attacked by Diamond back Moth Insect, so it is usually sprayed with Chlorpyrifos pesticide. So a study was planned to observe whether the toxic residues are nullified or reduced after the Dhavana of Cauliflower with Nirgundi Kwatha.

Aim and Objectives:

Aim:

To study the Vishaghna property of Nirgundi on Pesticide sprayed Cauliflower.

Objectives:

1. To study the Vishaghna property of Nirgundi on Pesticide sprayed Cauliflower.

2. To analyse the pesticide residues sprayed on Cauliflower before and after Dhavana with Nirgundi Kwatha.

Material and Methods:

Type of study – Observational Analytical study **Material:**

The following materials selected and authentified for the study. Vegetable : Cauliflower Dhavan dravya : Nirgundi Kwatha

Methodology :

Nirgundi collected and authentified and cauliflower personally collected from one farm source.

- They were divided into 3 groups each containing 10 samples of Cauliflower
- Group A: 10 samples of Cauliflower were analysed as it i.e. without Dhavana.
- Group B: 10 samples of Cauliflower were analysed after Dhavana with Tap water.
- Group C: 10 samples of Cauliflower were analysed after Dhavana with Nirgundi Kwatha.

Preparation of Kwatha :

The preparation of Nirgundi Kwatha was done as per the procedure mentioned in Sharangdhar Samhita madhyam khanda adhyay 2.

Analytical test :

Multi residue method for pesticide analysis – Gas Chromatography-Mass Spectrometry were performed.

Aayushi International Interdisciplinary Research Journal (AIIRJ)											
VOL- VIII	ISSUE- VI	JUNE	2021	PEER REVI		IMPACT FACTOR 7.149	ISSN 2349-638x				
Observat Observati	le residue analy	sis	References: 1. Dr. Bramhanand Tripathi ;Charaka Samhita,								
Sample nos	Sample A (mg/kg)	Sample B (mg/kg)	Sample C (mg/kg)	Chawkhambha Surbharti Prakashan, Reprin 2006.							
1	0.014	0.006	BLQ i.e.0.001	2.	ash Nighantu , lemy, 9 th edition						
2	0.012	0.008	BLQ	3	1993. Km	K.M. Nadkarni; Indian Materia Medica Volume					
3	0.014	0.006	BLQ	 K.M. Nadkanii, indian Materia Medica Voi 1&2, Bombay popular prakashan, 3rd ed reprint 2000. 							
4	0.013	0.007	BLQ								
5	0.013	0.008	BLQ	4.	-	Srivastava; A Textbo	ook of Applied				
6	0.015	0.006	BLQ	·		ology; Kalyani publisl					
7	0.012	0.008	BLQ	11	edition						
8	0.013	0.007	BLQ	OISC5!	https://	en.m.wikipedia.org/wiki	/cauliflower				
9	0.014	0.007	BLQ	F	- ne	Ar.					
10	0.012	0.006	BLQ			"J					

Conclusion :

Mean

0.0132

1. The study was analytical observational study

0.0069

BLQ

- 2. The mean values of cauliflower before Dhavana were found to be 0.0132
- 3. The mean values of cauliflower after Dhavana with Tap water were found to be 0.0069
- 4. The mean values of cauliflower after Dhavana with Nirgundi Kwatha were found to be BLQ. BLQ means below the level of quantification i.e. 0.001.
- 5. After Dhavana of pesticide sprayed Cauliflower in Nirgundi Kwatha, it was observed that the residue levels were decreased to such extent that it was not even detected.
- 6. So it can be stated that Nirgundi possesses Vishaghna which property reduces concentration of pesticides.