| | Aayushi I | Internationa | al Intero | disciplinary Res | earch Journal (| AIIRJ) |
|---------|-----------|--------------|-----------|--------------------------|------------------------|-------------------|
| VOL- IX | ISSUE- II | FEBRUARY | 2022 | PEER REVIEW e-JOURNAL | IMPACT FACTOR 7.331 | ISSN 2349-638x |

A Clinical Study of 'Bilva Patra Kwath Avagahan Sweda' in Management of Arsha in Garbhini With Special Reference to Haemorrhoids.

*Dr. Sudarshan S. Kale

** Dr. Badgire Shaikh Ali Abbas

First Author * M.S.(Shalya Tantra -Samanya),Second Author** M.D.(Agadtantra Vyavhar Ayurveda evum Vidhivijnyan),Assistant Professor, Dept of ShalyaTantraAssociate Professor, Department of Agadtantra.Yashwant Rao Chavhan Ayurved Medical College,Nipani-Bhalgaon, Beed Road Aurangabad-431001, Maharashtra.

Haemorrhoids are uncomfortable, painful condition that is very common during pregnancy due to various causes. The haemorrhoidal plexus get dilated and inflamed resulting in formation of haemorrhoids which are very painful. If not treated at proper time may cause bleeding and protrusion of the haemorrhoids. In such a condition, surgical and para-surgical procedures have limitations and use of internally ushna and tikshna kalpas are contraindicated in **Garbhini**.

Keeping in view these problems **BILVA Patra Kwath avgahan sweda** karma in **charak chikitsa sthana 14/47** was selected to evaluate the effect of avgahan sweda karma in relieving the signs and symptoms of haemorrhoids. Bilva patra kwath sitz bath given to the GARBHINI patient suffering by haemorrhoids.

In present study, done on 10 patients, an effort has been made to derive safe, easy accessible treatment in pregnancy. A BILVA patra kwath avgahan sweda, which has proven <u>Anti-inflammatory</u> property relieves venous congestion, relieves spasm of sphincter muscles, reducing irritation & itching. Assessment done on the basis of criteria, resulting into relieving pain and significant reduction in size of piles mass without any untoward side effect in pregnancy. (Key words:- Pregnancy, Haemorrhoids, BILVA Patra Avagahn, Anti-inflammatory, safe.)

Intoduction: -

व्याधींश्चास्या मृदुमधुरशिशिरसुखसुकुमारप्रायैऔषधाहारोपचारै :रुपचरेत् । ८०० पुर्णामिव तैलपात्रमसंक्षोभयताऽन्तर्वत्नी भवत्युपचर्या॥ च. शा. ८/२२.

Pregnancy is such delicate a condition that acharya charka has compared it with handling open container full of oil, so oil should not split out. Haemorrhoids are common during such a delicate condition of pregnancy because of following reasons.

The growing uterus puts pressure on the pelvic veins and inferior vena cava, which can slow the return of blood from the lower half of the body and increases the pressure on the veins, which causes them more dilated or swollen. Also increased progesterone hormone during pregnancy causes vein walls to relax and swell more easily. Progesterone also contributes to constipation by slowing down intestinal tract. Constipation can also cause and aggravate haemorrhoids due to straining.

In pregnancy surgical and para-surgical procedures have limitations and use of internally

ushna and tikshna kalpas are contraindicated which can be harmfull for life of foetus and mother, also growth and normal development of the foetus. In Ayurveda- avagah sweda is the procedure to sit in warm water for a short period of time, which promote healing and ease discomfort by encouraging blood flow to the rectal area. It's also help to relax the anal sphincter.

Bilva Patra Kwath is used for avagah sweda. Bilva is included in **Shothhar** and **Arshohar Mahakashay** by acharya Charak. Bilva leaves also have contains which shows **Anti-inflammatory** and **Analgesic** properties, is proved in many recent studies. Also acharya Charak has mentioned Bilva Patra kwath avgahan in asrhorog chiktsa adhyay.

बिल्वक्वाथेऽथवा अवगाहयेत्॥ च१४ .चि.\४७

In present study on 10 garbhini patients suffering by hemorrhoids, Bilva Patra avgah sweda is given as a safe, easy accessible method, not causing any harm to mother and her fetus. Combined properties of Bilva Patra kwath and its sitz bath which has proven <u>anti-inflammatory & analgesic</u> properties(1,2,3), relieves venous congestion, relieves spasm of sphincter muscles, reducing

| | Aayushi | International | Interc | lisciplinary | Research Journal (| (AIIRJ) |
|---------|-----------|---------------|--------|------------------------|--------------------|-------------------|
| VOL- IX | ISSUE- II | FEBRUARY | 2022 | PEER REVIE e-JOURNA | | ISSN 2349-638x |

irritation & itching. Assessment done on the basis of criteria, resulting into relieving pain and significant reduction in size of piles mass without any untoward side effect in pregnancy.

Aims & Objectives

- 1) To study the clinical effect of Bilva Patra Kwath avagah sweda in the Management of Arsha in Garbhini w.s.r. Haemorrhoids.
- 2) To manage and reduce symptoms of Haemorrhoids such as bleeding per rectum, pain, swelling in Garbhini patients
- 3) To find out simple, amble, safe and cost effective therapeutic regimes without any untoward side effect in pregnancy in the management of Arsh.
- 4) To review the literature about Bilva properties & Arsha vyadhi in Garbhini.

Bilva :

Taxonomical Classification :-

Kingdom: Plantae Unranked: Angiosperms Unranked: Eudicots Unranked: Rosids Order: Sapindales Family: Rutaceae Subfamily: Aurantioideae Tribe: Clauseneae ISSN 2 Genus: Aegel correa Species: A.marmelos Binomial name: Aegel marmelos (L.) Correa Latin name: - Aegel marmelos corr. English name: - Bael, Bengal quince, Golden apple, Wood apple, Stone apple Sanskrit names:- Bilva, Shandilya, Shailush. Shreefal, Gandhgarbh, Kantaki, Sadafal. Mahakapittha, Malur, Granthil. Gan:-Shothhar, Arshoghna, Aasthapanog, Anuvasanopag (charak samhita) Brihat panchamul, Varunadi Ambshthadi gan.

Ayurvedic properties: - Guna :- Laghu, Ruksha. Ras:- Kashay, Tikta. Vipak:- Katu Virya:- Ushna

Doshghnata : - Kapha-Vataghna.

Property of Patra (leaves) : - Locally Shothhar and Vednasthapan

Parts used: - roots, root bark, leaves, ripe and unripe fruits.

Chemical composition: contains -Fruit: marmalosin, Young bark: coumarin & umbelliferone, Matured bark: Y-fragrine, umbelliferone, marmesin, strerols, tritepenoids. Seeds: aromatic, yellowish greenish oil obtained by pressing, which has laxative effect. Leaves: contains essential oil consisting of B-phellandrine. Roots, leaves& bark mainly contain tannin.



Recent studies: - many following studies shows the anti inflammatory & analgesic property of Aegel marmelos leaves and root extracts

1)Ani-inflammatory activity of plants :- (Journal of natural remedies) C.O. Okali, P. A. Akah, S.V. Nwafor, Nigeria. (2002)

- 2)Biochemical Variation Studies Aegel in marmelos (Journal of chemical and pharmacological research) :-Johnson M, Pallyamkttai, Tamilnadu (2010)
- 3)Recent Trends in Medicinal uses and health benefits of Indian traditional herbes:- Aegel marmelos Coimbtore medical college, Tamilnadu .(2012)

Materials & Methods

Detail Plan and Protocol -

Centre of Study - Department of Shalya Tantra, Yashwant Rao Chavhan Ayurved Medical College, Nipani-Bhalgaon, Beed Road Aurangabad-431001, Maharashtra.


Email id's:- aiirjpramod@gmail.com Or aayushijournal@gmail.com Chief Editor: - Pramod P. Tandale (Mob.08999250451) website :- www.aiirjournal.com

gan,

| | Aayushi I | nternationa | l Interdisc | iplina | ry Re | esearch | Journ | al (| AIIR | J) | | |
|-------------------------|--|--------------------------|----------------|---|---|--------------|-----------------|----------|----------------------|------|---------------|------|
| VOL- IX | ISSUE- II | FEBRUARY | 2022 | PEER RE e-JOUR | | IMPA | CT FAC 7.331 | TOR | | | [SSN 9-63 | |
| No. of Pat | ients | - 10 | | 4) T | hreate | ned or any | complic | cated | pregn | anc | y, wł | nere |
| Selection of | of patients | - Diagnosed pa | ther | there is mother or foetus are at risk . | | | | | | | | |
| Haemorrho | oids in pregna | ancy at M.A.Poo | 5) P | 5) Patients with Hepatic Disorders, Diabetes, | | | | | | | | |
| O.P.D. and | I I.P.D. | | - | Puli | Pulmonary & Intestinal Tuberculosis, | | | | | | | |
| Consent – | A well infor | med written con | sent has been | Car | cinoma | atous condi | tions of | Ano | rectal | regi | on a | nd |
| taken befor | re starting the | e treatment. | | Syphilis. | | | | | | | | |
| Insrtumer | ts: - electric | heating instrum | ent, plastic | Investigations | | | | | | | | |
| tub for sitti | ing | - | - | Rou | Routine investigations before treatment - | | | | | | | |
| Drug – Bil | lva Patra Kw | ath | | | | Blood:- CE | | | | | | |
| Kwath pro | eparation: 1 |)fresh crushed le | eaves of | | 1.ESR | | | | | | | |
| Bilva boil | ed in 8 times | water upto $\frac{1}{4}$ | of total water | | 2. | BT | | | | | | |
| remains. | | - - | | dia | 3. | CT | | | | | | |
| Avgah Sw | edan proced | ure: 1) patient i | s asked to sit | aisc | 2.0/ | BSL a) Fa | sting & | b) P | ost pra | andi | al | |
| in tub fille | d with luke w | varm bilva kwatł | for 10 | | 3. | LFT | | | | | | |
| minutes | | i Oli | | | 4. | RFT | 0 | | | | | |
| | | 2 | | | 5. | Urine a) Ro | outine & | zb)l | Micros | scop | oic | |
| 2) Avgaha | n sweda give | n twice a day. | | | 6. | HBsAg | 3 | | | _ | | |
| Diat Dati | wanathya ad | vised as follows. | | | 7. | HIV I and I | I % | | | | | |
| | | – Buttermilk, | | | 8. Digital rectal examination | | | | | | | |
| | - | egetables, Citru | | | 9. Proctoscopy | | | | | | | |
| | enty of Oral I | | s Fluits and | | 10. Sigmoidoscopy (if required) | | | | | | | |
| | - | ra – Nonvege | sterian food | Cri | Criteria For Assessment | | | | | | | |
| · - | icy Foo <mark>d</mark> , | | obacco and | | Tł | ne followin | g patteri | n will | <mark>l</mark> be ad | lopt | ed fo | r |
| | • | preserved canned | | scoi | ring. | | | 7 | | | | |
| | | ar :- strain | | 1)P | R blee | ding – | | <u>.</u> | | | | |
| , . | feacation, ut | | ing during | | 0- N | o bleeding. | | \leq | | | | |
| | , | Freatment – A | woah sweda | | 1- M | ild bleedi | ng wit | h de | efecati | on. | (up | to10 |
| | | ay for 7 days | rvgan sweda | | drops) | | | | | | | |
| e | | ice weekly for 1 | month and | | 2- Moderate bleeding.(10 to 20 drops) | | | | | | | |
| · · | - | sed for clinical sy | 7 | | 3- Profuse bleeding.(more than 20 drops) | | | | | | | |
| - | ernate days | sed for eninear s | inpionis on | 2) P | 2) Pain -:- For assessment of pain | | | | | | | |
| | - | ection Of Patie | nts | Vis | ual An | alogue Sca | ale: (Ma | ac' gi | lls pai | in s | cale) | |
| , | | INI having clas | | | Tł | ne followin | o scale | was | used | to | heln | out |
| - | oms of Arsha | - /// | Wingins | asse | | he severity | | | | | - | |
| Inclusion | | | 🤍 w aiir | loca | | nger at any | _ | | | | | |
| | | Haemorrhoids. | | and | the sev | verity of pa | in was a | ssesse | ed acco | ordi | ng to | that |
| · · · | e | nesters of pregna | ncv | for | which t | the numeric | al are la | belle | d. | | | |
| · - | | 18 to 35 years of | • | 0 | 1 2 | 3 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| Exclusion | | | | | | | | | | | | |
| | | | | Ν | Mil | Discomfo | | | Hor | | | ucia |
| 1) 4 th degr | ee Haemorrh | oids. | | 0 | d | rting | sin | ıg | ble | | ti | ng |
| | 1 77 | 1 ' 1 TT | 1 • 1 • • | pa | | | | | | | | |
| , | | rhoids, Haemor | | in | | | | | | | | |
| | | e in Ano, Fistula | | Ni | N/T#1 | ЪЛ. | lowst- | | | C. | | |
| | Rectal-Polyps, Solitary Rectal Ulcer and Prolapse of | | | | Mil | | | | | | | |
| rectum. | | | | 1 | d | | | | | | | |
| 3) HIV HI | BsAg Positiv | e Patients | | | | <u> </u> | | | | | | |
| 5,111,111 | 25/ 16 1 051010 | | | | | | | | | | | |
| | | | | | | | | | | _ | | |

| Aayushi International Interdisciplinary Research Journal (AIIRJ) | | | | | | | | | | |
|--|----------------|----------------|-------------------|--|---|--------|-----|----|----------------|--|
| VOL- IX | ISSUE- II | FEBRUAR | RY 2022 | PEER REV e-JOURN | | | ર | | ISSN 9-638x | |
| | Grade 0 - Nil | l | Obse | Observation and Results | | | | | | |
| | Grade 1 – Mi | ild | Sr | Symptom | B T | A T | Dif | % | | |
| | Grade 2 – M | oderate | | No | | 1 | I | f | | |
| | Grade 3 – Se | vere | | 1 | PR bleeding | 7 | 3 | 4 | 57.142 86 | |
| , | | aemorrhoid - | | | | | | | | |
| | , | be assessed by | inspection, | 2 | Pain | 7 | 1 | 6 | 85.714 | |
| | copy and Pho | • | | | | | | | 29 | |
| 0 - | Complete Re | duction. | | 2 | | 0 | 4 | - | | |
| 1_ | Size Reductio | on by 25 % | | 3 | Size of | 9 | 4 | 5 | 55.555 | |
| 1 | Size Reducin | JII Oy 25 70. | | Haemorrhoid | | | | 56 | | |
| 2 – Size Reduction by 50 %. | | | | | Total | 23 | 8 | 15 | 65.217 | |
| 3 – No Change in Size. | | | | | | 23 | 0 | 15 | 39 | |
| Assessment of effect of therapy (result) | | | | | Data obtained from observation of 10 pts, | | | | | |
| Cured -76% to100 % | | | | | unpaired 't' test applied to data, shows that, pain was | | | | | |
| relief in signs and symptoms. | | | | | relieved by averagely 85.71%, PR bleeding was | | | | | |
| Markedly improved - 51% to 75% relief | | | | | relieved by 57.14% while 55.55% relief occurs in | | | | | |
| in signs and symptoms. | | | | | Size of Internal Haemorrhoid. This shows overall | | | | | |
| Imp | oroved | -2 | 0 | averagely 65.21% relief in all symptoms which is | | | | | | |
| | in signs and s | symptoms. | | | y significant. | en el | | | | |
| Unc | changed | -u | pto 25% relief in | |) 518 | | | | | |
| | sign and sym | ptoms. | | | | - | | | | |
| | | 0 | | | | J | | | | |
| | | | | | | | | | | |

BEFORE TREATMENT









Before Treatment

Discussion:

The clinical study done on 10 patient and its analysis done. A Bilva is Ushna Virya Dravya and have Kashay-Tikta Ras, due to which it is Vata-Kaphaghna. Due to Kashay ras, hemostasis of P/R carried out, tikta ras gives relieve venous congestion, due to ushna & vata-kapha shamak property, pain and swelling is redused A BILVA Patra kwath, which contains B-phellandrine & tannin has proven <u>Anti-inflammatory</u> property relieves venous congestion & it also reduse the pain and swelling of pile mass.

Bilva Patra Avagah sweda is the procedure to sit in warm water for a short period of time, which promote healing and ease discomfort by encouraging blood flow to the rectal area, relieves the congestion of pile mass, relax the anal sphincter muscle & relieves the pain due to hot fomentation. It shows marked improvement in symptoms like PR bleeding and significant decrease in size of Haemorrhoids, also about all patient get relieved from pain, and continued pregnancy without any complication.

In obstetrics we also observed in study that prevalence of haemorrhoids is more in third trimester(7 out of 10 patients) of pregnancy.

Conclusion:

The Bilva Patra Kwath Avgahan Swedan is clinically proved as effective in treatment of Haemorrhoids in GARBHINI and gives significant relief from all symptoms, proving it as safe, cost



After Treatment

effective, standard, easy accessible treatment of internal Haemorrhoids in pregnancy without any untoward effect to mother and foetus.

References



- 1. Susrutasamhita with Ayurved tattva sandipika, Ambikadatta Shastri, editor. 4th ed. Varanasi: Chaukhambha Sanskrit Samsthan; 2005, chikitsa sthan,Arshchiktsa Adhyay,
- 2. Charak Samhita with vaidyaratnam commentary, Acharya Vidyadhar Shuklaand Prof. Ravidatta Tripathi, Reprint 2009, Chaukhambha Sanskrit Pratisthan, Varanasi, chikitsa sthan, Arsh chikitsa Adhyay 14\47, P 350. Cha. Sha.8/22, Cha.Chi.14/9
- Bhaishajya Ratnawali with Siddhiprada commentary, Prof Siddhinandan Mishra, Reprint 2013. Chaukhambha Surbharti Prakashan, Arshorogadhikar, 9\62 & 63, P 315.
- Ashtanga Hrudayam with Nirmala Comentary, Dr Bramhanand Tripathi, Reprint 2009, sutra. Dravyadravya vijnyaniyam, 5/47, P 75. Va. Ni. 7/14-15
- A concise textbook of surgery, S. Das, 4th Edition, May 2006, SD Publication, P 1078.
- Sharangdhar Samhita with dipika commentary, sharangdharacharya. Reprint 2009. Madhyam khand 2/1-2^{''}202