Aayushi International Interdisciplinary Research Journal (AIIRJ)								
VOL- X	ISSUE- II	FEBRUARY	2023	PEER REVIEW e-JOURNAL	IMPACT FACTOR 7.367	ISSN 2349-638x		
	Assessment of Physico-Chemical Parameters in The Makani Water Reservoir from Osmanabad District (M.S.) India							

Dr. Waghmare Vinayak Narayanrao Head, Department of Zoology, Mahatma Basweshwar Mahavidyalaya, Latur 413512 (Email: <u>waghmarevn73@gmail.com</u>)

Abstract

An attempt has been made to study the Physico-chemical parameters of water of Makni reservoir at Osmanabad District (M.S.) India. The time period of study was July 2022 to December 2022. four water samples were selected from different sites in each month for study. The parameters studies were Water temperature, pH, Conductivity, Dissolved Oxygen, Alkalinity, Sulphate, Phosphate, Chlorides and Total hardness. Almost all the parameters were found below the tolerance limit. This study aimed at assessing the water quality of Makni reservoir from Osmanabad District (M.S.) India. Keywords: Water quality, Makni reservoir.

Introduction

The water quality from the reservoirs has a

considerable importance for the reason that these water resources are generally used for multiple matters such as: drinking, domestic and residential water supplies, agriculture (irrigation), fish culture. 71% of earth surface is occupied by water (CIA, 2008), 96.5% of the world's water is marine water which is salty that is not to be directly useful for drinking, irrigation, domestic and industrial purposes.1.7% in groundwater, 1.7% in glaciers. Less than 1% water is present in lakes, ponds, rivers, dams, etc., which is used by man for domestic, Industrial and agricultural purposes. According to an estimate about 70% of all the available water in our country is contaminated water bodies due to the discharge of effluents from industries and the domestic sewage waste. In developing countries, about 1.8 million people mostly children's die every year as a result of water related diseases (WHO, 2004).

Water pollution confronting serious problem in India as almost 70 per cent of its surface water resources and a growing percentage of its reservoirs are contaminated by biological, toxic, organic, and inorganic effluents. These resources have been rendered unhygienic for human consumption as well as for other activities, such as irrigation and industrial needs. This shows that degraded nature of water quality can contribute to water scarcity as it limits its availability for both human use and for the ecosystem. Due to growth of increasing population, agricultural usage, and industrialization, demand for domestic water has increased many times during the last few years. Improper waste disposal industrial effluents and over exploitation of resources has affected the quality, not only of tap water but also of ground water. Water pollution has many sources. The most polluting elements are the city sewage and industrial waste discharged into the rivers. The facilities to waste water treatment are not adequate in any city in India. Presently, only about 10% of the waste water is treated; the rest is discharged as it is into our water bodies. Therefore, pollutants enter groundwater, rivers, and other water bodies. The Central Pollution Control Board monitoring results obtained during 2005 indicate that organic pollution continues to be predominant in aquatic resources.

Physico-chemical Parameters:

The availability of good quality water is a contributing characteristic for preventing diseases and improving quality of life. It is necessary to know details about different physico-chemical parameters such as temperature, hardness, pH, sulphate, chloride, DO, alkalinity used for testing of water quality. Some physical test should be performed for testing of its physical appearance such as temperature, pH, while chemical tests should be performed for its dissolved oxygen, alkalinity, hardness, chlorides, sulphate and phosphate.

Aayushi International Interdisciplinary Research Journal (AIIRJ)							
VOL- X	ISSUE- II	FEBRUARY	2023	PEER REVIEW e-JOURNAL	IMPACT FACTOR 7.367	ISSN 2349-638x	

Material And Method

Water samples were collected in previously cleaned polythene bottles. Water samples were collected during July 2022 to December 2022 from 4 stations decided in the reservoir in the morning (9.00 to 10.00 a.m.). Temperature and pH of water samples were measured in the field immediately after collection with help of thermometer and pH meter. Other physic-chemical parameters were analyzed in the laboratory and all other parameters were analyzed by titration methods outlined in standard methods (APHA 1995, 2012).

Result And Discussion

The average six-month values from July 2022 to December 2022 values of every months physicochemical characteristics are given in the table1.

	Table 1. The average six-month valuesfrom July 2022 to December 2022						
Parameters	Units	Spot 1	Spot 2	Spot 3	Spot 4		
Water temperature	°C	27ºc	30 ⁰ c	31 ^o c	30°c		
рН	1/1/2	7.3	7.1	7.2	7.6		
Conductivit	y μmhos/cm	122	158	139	163		
Dissolved O	2 Mg/ litre	2.7	2.1	3.1	4.6		
Alkalinity	Mg/ litre	102	108	148	153		
Sulphate	Mg/ litre	15	34	48	38		
Phosphate	Mg/ litre	0.10	0.11	0.19	0.21	3	
Chlorides	Mg/ litre	68	77	82	109.3		
Total hardness	Mg/ litre	79	91	106	151	k	

Table 1: showing the average six-month values fromJuly 2022 to December 2022 in mg/litre values ofphysico-chemical parameters from Makni reservoir



Graph 1. Showing the six-month values of physicochemical parameters (July 2022 to December 2022)



Fig.1 Makni reservoir from Osmanabad district (MS)

The six-month survey (July 2022 to December 2022) has shown that physicochemical parameters of Makni reservoir from Osmanabad district (MS) India shows wide range of results.

These are as follows

Temperature: It is mainly related with atmosphere and weather conditions. Temperature is basically important for its effects on certain chemical and biological activities in organisms. Temperature is in the range from 27° c to 31° c. Lowest temperature is at Spot 1 is 27° c and highest value is recorded at Spot 3 is 31° c. Temperature effects the seasonal and diurnal variation. It controls the rate of all biochemical and biological reactions including growth, multiplication, mineralization, decay, production etc. Temperature is recorded with the help of maximum minimum thermometer. Similarly, results have been reported by Jawale, A.K and S.A. Patil, (2009).

pH: It is determined with the help of pH meter. The pH values ranged from 7.1 to 7.6. This indicates the basic nature of water samples. pH is used to express the intensity of acidic or alkaline conditions. It is the appearance of hydrogen ion concentration, more precisely, the hydrogen ion activity. pH is a parameter important in assessing the water quality. Acidic conditions will increase as pH value decreases and alkaline conditions will increases as the pH value increases.

Electrical conductivity: water quality is measured by the method of electrical conductivity. As the salt is more conducive of electricity and if there is more amount of salt in a fixed volume of water the electrical conductivity of the water will be more in comparison to less saline water. It is a useful parameter to assess the purity of water. Electrical conductivity measures between 122 to 163 μ mhos/cm. Shrivastava and Kanungo (2013) were recorded the EC in between 1.115 to 212.13 μ mhos/cm.

Dissolved Oxygen (DO): It is one of the important parameters in water quality assessment. It shows the physical and biological processes prevailing in the water. Non polluted water is generally saturated with DO. The DO ranges from 2.1 to 4.6 mg/L. Dissolved oxygen is an important parameter that determines the quality of water in rivers and reservoirs. The higher concentration of dissolved oxygen, provide better water quality.

Total Alkalinity: Bicarbonate alkalinity together with carbonate alkalinity are called total alkalinity. Alkalinity, pH and hardness affect the toxicity of many substances in the water. It is determined by simple dilute HCl titration in presence of phenolphthalein and methyl orange indicators. Alkalinity of water is its acid neutralizing capacity. The alkalinity of groundwater is mainly due to carbonates and bicarbonates. The acceptable limit of alkalinity is 200 mg/l and in the absence of alternate water source, alkalinity up to 600 mg/l is acceptable for drinking which measures between 102 to 153.

Sulphate and Phosphates: The result of sulphate in the dam water was high (15- 48 mg/L). The source of sulphate may be from mineral rocks and fertilizers. The phosphate content of reservoir water was found in range of 0.10 to 0.21 mg/L. Phosphate lead to eutrophication which could also lead to unpleasant taste and odor. The presence of heavy metals in drinking water higher than a certain concentration can cause detrimental impacts on human health.

Chloride: Chlorides are practically found in allnatural water. This is the most common inorganic anion present in water. Man, and animal excrete have high quantities of chloride. Also salts present in soil are the sources of chloride. Chloride content of water samples was 68 to 109.3 mg/L. According to WHO maximum permissible limit for Chloride is 500 mg/l. the value observed in present study are well below the permissible limit

Total Hardness (TH): In groundwater hardness is mainly contributed by bicarbonates, carbonates, sulphates and chlorides of calcium and magnesium. So, the principal hardness causing ions are calcium and magnesium. It is measured by titration method by standardized EDTA sol. using Erichrome black T as indicator. In most of the fresh water it is important mainly by calcium and magnesium ions found in combination carbonate and bicarbonates. In the present study TH were found to be 79 to 151 mg/L. Hardness is more than 20 mg / L is satisfactory for the aquatic productivity and helps to protect fishes against harmful effects. Similar findings were reported by Muley and Patil, (2006). Mishra et al (2014) reported the total hardness 146 to 268 mg/ liters in Varanasi pond.

Conclusion

After the analysis of data, the present study can be concluded that the effects of water pollution are not only devastating to people but also to animals, fish, and birds also destroys aquatic life and reduces its reproductive ability. Contaminated water is unsuitable for drinking, recreation, agriculture, and industry. It reduces the aesthetic quality of reservoirs and lakes. Eventually, it is a hazard to human health. To minimize the pollution in drinking water we can use modern technologies such as reverse osmosis and ozonation in large scale, which are effective in the Comparison of present study parameter values with the permissible limits prescribed by Indian Standards and WHO provides the conclusion that the water of Makni reservoir is useful for water domestic supply. But some parameters giving alarm for protection of water from pollution it may be used for drinking purpose for long time.

The present study was undertaken to account to bring an acute awareness among the people about the quality of water. Reservoir water also suitable to use for fish culture. The individual and the community can help minimize water pollution by simple housekeeping and management practices the amount of waste generated can be minimized.

Aayushi International Interdisciplinary Research Journal (AIIRJ)								
VOL- X	ISSUE- II	FEBRUARY	2023	PEER REVIEW e-JOURNAL	IMPACT FACTOR 7.367	ISSN 2349-638x		
Acknowledgments The author thankful to Principal, Mahatma Basweshwar Mahavidyalaya, Latur, District Latur,, Maharashtra state, India. for providing laboratory advances and library Facilities.					 Muley D. V. and Patil I. M. (2006). A study water quality and fish diversity of Pauna Riv Maharashtra. J. Aqua. Biol. 21(1):68-75 S. Shrivastava, V. K. Kanungo (201) PhysicoChemical Analysis of Pond Water Surguja District, Chhattishgarh, Ind 			
(1 w	merican Public 995). Standard 1 ater and waste	Health Associat nethods for the ex water, (19 th edr Association, Wash	xamination of a). American	6.	International Journal of Her 35-43 S. Mishra, A. L. Singh and Studies of Physico-chemical at Varanasi Holy City ur Influences, Int. J. Environ, B	D. Tiwary (2014). Status of the Ponds nder Anthropogenic		

2. APHA, (2012). Standard Methods for Examination of Water and Waste Water, American Public Health Association, Washington DC, 22nd Ed.,

USA.

- 3. Jawale, A.K and S.A. Patil, (2009). Physicochemical characteristic and phytoplanktons abundance of Mangrul Dam, dist- Jalgoan, Maharashtra., J. Aqua. Biol., 24(1): 7-12.
- Influences. Int. J. Environ. Rese. Devel. 4: 261-268.
 - World Health Organization (WHO, 1993). Guidelines for drinking water quality. World Health Organization, Geneva, Switzerland.

www aiirjourr